

CSI Cement CO₂ and Energy Protocol Spreadsheet V3.04, 16.12.2011 - Release Notes

Sheet	Line	Correction in V3.04	Problem in V3.03 / Solution in V3.04
Company	line025	Formula corrected, only Company sheet affected	Error in sum of line026 to line028, which already includes line184, line184g and line184i: V3.03 =IF(COUNTBLANK(line026:line028)=3,"";SUM(line026:line028)+line184+line184g+line184i) V3.04 =IF(COUNTBLANK(line026:line028)=3,"";SUM(line026:line028))
Company	line049b	Formula corrected, only Company sheet affected	Error in unit conversion: V3.03 =IF(AND(line049c="";line009="";line010="");IF(line009-line010=0,"not appl.":line49c/(line009-line010)/1000)) V3.04 =IF(AND(line049c="";line009="";line010="");IF(line009-line010=0,"not appl.":line49c/(line009-line010)*1000))
Company	line096a	Formula corrected, only Company sheet affected	Error in line reference to complete kiln fuel heat consumption including drying of fuels and raw materials: V3.03 =IF(line043="";IF(line043=0,"n.appl.":line043/line025a)) V3.04 =IF(line043="";IF(line043=0,"n.appl.":line043/line025))
Company	line098c	Formula amended, only Company sheet affected	Error "No Value" if line098 is "not applicable", e.g. no clinker production in grinding station: V3.03 =IF(line021="";(line098*line092)+(line033-line033e)/line021) V3.04 =IF(line021="";IF(line098<>"n. appl.":(line098*line092)+(line033-line033e)*1000/line021;(line033-line033e)*1000/line021))
Plant	line236a	Formula corrected, only Plant sheet affected	Error in line reference: V3.03 =IF(line184j="";(line199a*line156a/1000*line209)+(line125a*line155a/1000*line200*line200h)) V3.04 =IF(line184j="";(line126a*line156a/1000*line209)+(line125a*line155a/1000*line200*line200h))
Sheet	Line	Bug-fixing in V3.04	Problem in V3.03 / Solution in V3.04
Plant	general	Excel 2007 and 2010 macro bug fixed	Macro runtime error message in Excel 2007 and 2010 after reopening the Protocol Spreadsheet
Plant	general	Print area presetting adjusted.	Incomplete printout
Company	general	Print area presetting adjusted. line120, line150 and line180 visible. Specific values which can not be recalculated on company level remain invisible: line034d to line034s, line139 to line144, line199a and line200a to line200h	Incomplete printout
Company	general	Removable Company sheet protection without password. Do not change column headings or line numbers!	Validation macro problem with changed column headings
Plant	line006	Line height adjusted and fixed	see line007n
Plant	line006a		
Plant	line006b		
Plant	line007aa		
Plant	line007n	Button "create calcination sheet" always visible at fixed location. Disabled/enabled according to line007c "kiln operation" = no/yes. Comment amended.	Button "create calcination sheet" sometimes invisible
Company	line059a	Line colour changed to light blue	Wrong line colour light yellow, line059a=line039
Validation	line083a	Validation range adjusted	Low maximum value of validation range returns comment in nearly all cases with significant biomass use: V3.03: MIN=0 and MAX=150 [t CO ₂ /yr]. V3.04: MIN=0 and MAX=2.000.000 [t CO ₂ /yr]
Plant & Company	line098a	Cell unprotected and unit text corrected	No input possible, because line is protected in V3.03. Unit text correction: V3.03 [MJ/kWh]. V3.04 [MJ/kWh]

CSI Cement CO₂ and Energy Protocol Spreadsheet V3.04, 16.12.2011 - Release Notes

Sheet	Line	Bug-fixing in V3.04	Problem in V3.03 / Solution in V3.04
Company	line120	Line visible	Line was not visible in Company sheet printout
Company	line139	Line invisible in Company sheet. Formula deleted.	Wrong result for specific value from recalculation on company level. Correction in Company sheet not feasible
Company	line140		
Company	line141		
Company	line142		
Company	line143		
Company	line143a		
Company	line144		
Company	line150	Line visible	Line was not visible in Company sheet printout
Company	line180		
Plant	line186	Cells unprotected. Input of plant specific emission factor possible. Indication by white cell colour.	Entering of plant or year specific emission factors not possible
Plant	line187		
Plant	line188		
Plant	line189		
Plant	line190		
Plant	line191		
Plant	line192		
Plant	line192a		
Plant	line194	Cells unprotected. Input of plant specific emission factor possible. Indication by white cell colour.	Entering of plant or year specific emission factors not possible
Plant	line195		
Plant	line196		
Plant	line197		
Plant	line198		
Plant	line199		
Company	line199a	Line invisible in Company sheet. Formula deleted.	Wrong result for specific value from recalculation on company level. Correction in Company sheet not feasible
Plant	line200	Cells unprotected. Input of plant specific emission factor possible. Indication by white cell colour.	Entering of plant or year specific emission factors not possible
Plant	line200b	Cells unprotected. Input of plant specific biogenic fraction possible. Indicated by white cell colour.	Entering of plant or year specific biogenic fraction not possible
Plant	line202	Cells unprotected. Input of plant specific emission factor possible. Indication by white cell colour.	Entering of plant or year specific emission factors not possible
Plant	line203		
Plant	line204		
Plant	line205		
Plant	line206		
Plant	line207		
Plant	line208		
Plant	line209		